

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

havon INTEXO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Washing additive

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

HAGLEITNER HYGIENE International GmbH
Lunastrasse 5
A-5700 Zell am See
Telephone no. +43 (0)5 0456
Fax no. +43 (0)5 0456 7777
E-Mail regulatoryaffairs@hagleitner.at
Information provided by / telephone Regulatory Affairs
E-mail address of person responsible for this SDS regulatoryaffairs@hagleitner.at

Address/Supplier

HAGLEITNER HYGIENE International GmbH
Lunastrasse 5
AT5700 Zell am See
Telephone no. +43 (0)5 0456
Fax no. +43 (0)5 0456 7777
E-mail address of person responsible for this SDS regulatoryaffairs@hagleitner.at

1.4. Emergency telephone number

Anti Poison Center Vienna: +43 (0)1 406 43430

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3	H226
Skin Irrit. 2	H315
Eye Dam. 1	H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

**Signal word**

Danger

Hazard statements

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains FATTY ALCOHOL, ETHOXYLATED,
 PROPOXYLATED; Alkylpolyglucoside; Isotridecanoethoxylat C13
 7EO; Polyoxyethylene isodecyl ether; Benzenesulfonic acid, C10-13-alkyl derivs.,
 sodium salts

For industrial application only.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous ingredients (Regulation (EC) No. 1272/2008)****Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

CAS No. 68411-30-3
 EINECS no. 270-115-0
 Registration no. 01-2119489428-22-0010
 Concentration >= 10 < 14 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318
 Acute Tox. 4 H302
 Skin Irrit. 2 H315
 Aquatic Chronic 3 H412

Isotridecanoethoxylat C13 7EO

CAS No. 69011-36-5
 EINECS no. N.A.
 Registration no. POLYMER
 Concentration >= 10 < 11 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318
 Acute Tox. 4 H302

Route of exposure: oral

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 >= 15 %

Alkylpolyglucoside

CAS No. 161074-93-7

EINECS no. N.D.

Registration no. POLYMER

Concentration >= 3 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318

FATTY ALCOHOL, ETHOXYLATED, PROPOXYLATED

CAS No. POLYMER

EINECS no. POLYMER

Concentration >= 1 < 3 %

Classification (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400

Eye Dam. 1 H318

Skin Irrit. 2 H315

Polyoxyethylene isodecyl ether

CAS No. 61827-42-7

Concentration >= 1 < 1,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318

Acute Tox. 4 H302

Ingredients (Regulation (EC) No 648/2004)

Labelling of contents (Regulation (EC) No 648/2004):

5 % or over but less than 15 %:

soap

non-ionic surfactants

less than 5 %:

anionic surfactants

cationic surfactants

phosphonates

further ingredients:

perfumes

enzymes

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. No special measures required.

After skin contact

In case of contact with skin wash off with warm water. No special measures required.

After eye contact

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Eye treatment by an Oculist.

After ingestion

Rinse mouth thoroughly with water. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / treatment**

Treat symptomatically

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Compatible with all usual extinguishing media.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

None known

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

In case of combustion use a suitable breathing apparatus.

Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

High risk of slipping due to leakage/spillage of product. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). Rinse away rest with plenty of water.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Observe the usual precautions for handling chemicals. Provide good ventilation of working area (local exhaust ventilation if necessary).

Advice on protection against fire and explosion

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities**Recommended storage temperature**Value \geq 5 \leq 25 °C**Storage stability**

Storage life: 3 years

Requirements for storage rooms and vessels

Keep only in the original container. Storage rooms must be properly ventilated.

Further information on storage conditions

Keep locked up and out of the reach of children. Keep container tightly closed; open and handle with care.

7.3. Specific end use(s)

For industrial application only.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Other information**

There is not known any national exposure limit.

8.2. Exposure controls**General protective and hygiene measures**

Avoid prolonged and/or repeated contact with skin. Use barrier skin cream. Do not eat, drink or smoke during work time. Observe the usual precautions for handling chemicals.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

In case of intensive contact wear protective gloves.

Appropriate Material	butyl		
Material thickness	=	0,5	mm
Breakthrough time	\geq	120	min

Appropriate Material nitrile

z.B.: BRILLANT nitrilX-TREME, Art.-Nr. 4451001000 oder BRILLANT nitrilSTYLE, Art.-Nr. 4451001300

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Form	liquid
Colour	yellow
Odour	Product specific

pH value

Value 8 to 8,5

Freezing point

Value appr. -4 to 4 °C

Trade name: havon INTEXO

Substance number: SUB302021820000
the date of issue: 06.08.15Version: 1 / EU
Replaces Version: - / EUDate revised: 06.08.2015
Print date: 22.12.15**Sublimation point**

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Value appr. 30 °C

Evaporation rate

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

DensityValue appr. 1,03 to 1,04 g/cm³**Solubility in water**

Remarks Completely miscible

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Auto-ignition temperature

Remarks not determined

Combustion factor

Remarks not determined

Decomposition temperature

Remarks No decomposition if used as prescribed.

Viscosity

Value appr. 60 to 70 mPa.s

Oxidising properties

evaluation None known

9.2. Other information**Bulk density**

Remarks not determined

Packed bulk density

Remarks not determined

Solids content

Value 54 to 58 %

Saturation Concentration

Remarks not determined

Critical point

Remarks not determined

Dissociation constant

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

Remarks not determined

Surface tension

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactions with impurities.

10.2. Chemical stability

Protect from extreme heat and cold.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Keep at temperature not exceeding 30 °C.

Decomposition temperature

Remarks No decomposition if used as prescribed.

10.5. Incompatible materials

No hazardous reactions when stored and handled according to prescribed instructions.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**ATE 2.008,83 mg/kg
89

Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)**Ethanol**Species rat
LD50 > 2000 mg/kg
Method OECD 401**Acute dermal toxicity (Components)****Ethanol**Species rabbit
LD50 > 2000 mg/kg
Method OECD 402**Acute inhalative toxicity (Components)****Ethanol**Species rat
LC50 > 20 mg/l
Duration of exposure = 4 h
Administration/Form Vapors**Skin corrosion/irritation**

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

evaluation irritant

Serious eye damage/irritation

evaluation irritant - risk of serious damage to eyes

Sensitization

evaluation non-sensitizing

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

Product specific toxicological data are not known.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity (Components)****Ethanol**

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	=	15300	mg/l
Duration of exposure	=	96	h
Method	US-EPA		

Daphnia toxicity (Components)**Ethanol**

Species	Ceriodaphnia spec		
EC50	>	10000	mg/l
Duration of exposure	=	48	h
Source	Manufacturer's data		

Ethanol

Species	Daphnia magna		
EC50	>	10000	mg/l
Duration of exposure	=	48	h

Algae toxicity (Components)**Ethanol**

Species	Chlorella vulgaris		
EC10	=	11,5	mg/l
Duration of exposure	=	3	d
Method	OECD TG 201		

Ethanol

Species	Chlorella vulgaris		
EC50	=	275	mg/l
Duration of exposure	=	3	d

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

Method OECD TG 201

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

EC50 1 to 10 mg/l

Bacteria toxicity (Components)**Ethanol**

Duration of exposure = 5800 mg/l

= 4 h

12.2. Persistence and degradability**General information**

not determined

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

12.6. Other adverse effects**General information**

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information**Land transport ADR/RID**

Non-dangerous goods

14.1. UN number

UN -

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group

Packing group -

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group

Packing group -

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

Class -

14.4. Packing group

Packing group -

Information for all modes of transport**14.6. Special precautions for user**

Non-dangerous goods

Other information**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not determined

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Water Hazard Class (Germany)**

Water Hazard Class WGK 2

(Germany)

Remarks Classification according to Annex 4 VwVwS

VOC

VOC (CH) = 15,6 %

VOC (EU) = 15,6 %

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Alterations/supplements: Alterations to the previous edition are marked with an asterisk (*) in the left-hand margin.

Trade name: havon INTEXO

Substance number: SUB302021820000

Version: 1 / EU

Date revised: 06.08.2015

the date of issue: 06.08.15

Replaces Version: - / EU

Print date: 22.12.15

Hazard statements listed in Chapter 3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Skin Irrit. 2	Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Civil Aviation Organization
 CAS: Chemical Abstracts Service
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 NOEL: No observable effect level
 NOEC: No observable effect concentration
 LD: Lethal dose
 LC: Lethal concentration
 REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
 IMO: International Maritime Organization
 DNEL: Derived no effect level
 PNEC: Predicted no effect concentration
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 EC: European Community
 EU: European Union
 GHS: Globally Harmonized System of classification and Labelling of Chemicals
 MAK: Maximale Arbeitsplatz-Konzentration
 INCI: International Nomenclature of Cosmetic Ingredients
 UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

