

Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

havon ULTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Main wash cycle detergent in powder form. For industrial application only.

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

HAGLEITNER HYGIENE International GmbH

Lunastrasse 5 A-5700 Zell am See

Telephone no. +43 (0)5 0456 Fax no. +43 (0)5 0456 7777

E-Mail regulatoryaffairs@hagleitner.at

Information provided Regulatory Affairs

by / telephone

E-mail address of regulatoryaffairs@hagleitner.at

person responsible for this SDS

Address/Supplier

HAGLEITNER HYGIENE International GmbH

Lunastrasse 5 AT5700 Zell am See

Telephone no. +43 (0)5 0456 Fax no. +43 (0)5 0456 7777

E-mail address of regulatoryaffairs@hagleitner.at

person responsible for this SDS

1.4. Emergency telephone number

Anti Poison Center Vienna: +43 (0)1 406 43430

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15



Signal word

Danger

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Disodium carbonate, compound with hydrogen peroxide (2:3);Benzenesulfonic

acid, C10-13-alkyl derivs., sodium salts; Alcohol Ethoxylate C12-13; Sodium

silicate

For industrial application only.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients (Regulation (EC) No. 1272/2008)

Sodium carbonate

CAS No. 497-19-8 EINECS no. 207-838-8

Registration no. 01-2119485498-19

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Disodium carbonate, compound with hydrogen peroxide (2:3)

CAS No. 15630-89-4 EINECS no. 239-707-6 Registration no. PRE

Concentration >= 10 < 12 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Acute Tox. 4 H302 Ox. Sol. 2 H272

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1 > 25 % Eye Irrit. 2 <= 10 < 25 % Acute Tox. 4 > 25 %



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS No. 68411-30-3 EINECS no. 270-115-0

Registration no. 01-2119489428-22-0027

Concentration >= 3 < 6,5 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 3 H412

Sodium silicate

CAS No. 1344-09-8 EINECS no. 215-687-4

Registration no. 01-2119448725-31-XXXX

Concentration >= 3 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Dam. 1 H318

Alcohol Ethoxylate C12-13

CAS No. 16091-19-9 EINECS no. 931-954-4

Concentration >= 3 < 3,2 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Acute Tox. 4 H302

Ingredients (Regulation (EC) No 648/2004)

Labelling of contents (Regulation (EC) No 648/2004):

5 % or over but less than 15 %:

anionic surfactants

less than 5 %:

non-ionic surfactants

further ingredients:

phosphonates

zeolites

enzymes

optical brighteners

perfumes

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

In case of contact with skin wash off with warm water. No special measures required.



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Shortness of breath

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Compatible with all usual extinguishing media.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

None known

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Rinse away rest with plenty of water.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value >= 5 <= 25 °C

Storage stability

Storage life: 3 years

Requirements for storage rooms and vessels

Keep only in the original container.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

For industrial application only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There is not known any national exposure limit.

8.2. Exposure controls

Exposure controls

See Section 7. No measures exeeding the ones mentioned necessary.

General protective and hygiene measures

Avoid prolonged and/or repeated contact with skin. Use barrier skin cream. Do not eat, drink or smoke during work time. Observe the usual precautions for handling chemicals.

Respiratory protection

Use breathing apparatus in dust-laden atmosphere.

Hand protection

In case of intensive contact wear protective gloves.

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form Powder Colour white

Odour Product specific

pH value

Value appr. 10,2 to 10,8

Concentration/H2O 10 g/l Temperature 20 °C

Remarks alkaline

Freezing point

Remarks Not applicable



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

Sublimation point

Remarks not determined

Initial boiling point and boiling range

Remarks Not applicable

Flash point

Value > 200 °C

Remarks Not applicable

Evaporation rate

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Vapour pressure

Remarks Not applicable

Vapour density

Remarks not determined

Solubility in water

Remarks Completely miscible

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Auto-ignition temperature

Remarks not determined

Combustion factor

Remarks not determined

Decomposition temperature

Remarks No decomposition if used as prescribed.

Viscosity

Remarks Not applicable

Oxidising properties

evaluation None known

9.2. Other information

Bulk density

Value appr. 610 to 670 kg/m³

Packed bulk density

Remarks not determined

Solids content

Remarks not determined

Saturation Concentration

Remarks not determined

Critical point

Remarks not determined

Dissociation constant

Remarks not determined



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

Surface tension

Remarks not determined

Other information
None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

Protect from atmospheric moisture and water. Protect from extreme heat and cold.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Keep at temperature not exceeding 30 °C.

Decomposition temperature

Remarks No decomposition if used as prescribed.

10.5. Incompatible materials

No hazardous reactions when stored and handled according to prescribed instructions.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

ATE 2.500 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Skin corrosion/irritation

evaluation slight irritant effect - does not require labelling Remarks Test conducted with a similar formulation.

Serious eye damage/irritation

evaluation irritant

Remarks Test conducted with a similar formulation.

Sensitization

evaluation non-sensitizing **Subacute, subchronic, chronic toxicity**Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5/EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

Experience in practice

Inhalation of dusts may irritate the respiratory tract.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Daphnia toxicity

Reference substance Sodium sulphate CAS No. 7757-82-6

Species Daphnia magna

EC50 630 mg/l h

96 Duration of exposure

Source **IUCLID**

Reference substance Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS No. 68411-30-3 **Species** Daphnia magna

EC50 1 to 10 mg/l

Duration of exposure 48

OECD TG 202 Method

Source **IUCLID**

Reference substance Sodium oleate CAS No. 143-19-1

Species Daphnia magna

EC50 0,57 mg/l

Duration of exposure 48

Source **EPA ECOTOX Database**

Reference substance FATTY ALCOHOL ALCOXYLATE

Species Daphnia magna

EC50 1 to 10 mg/l

Duration of exposure 48 h

Method OECD TG 202

Reference substance Zeolites CAS No. 1318-02-1 **Species** Daphnia magna

EC50 2808 mg/l

Duration of exposure 24

OECD TG 202 Method

Source **IUCLID**

Reference substance Disodium carbonate, compound with hydrogen peroxide (2:3)

CAS No. 15630-89-4 Species Daphnia magna

EC50 4,9 mg/l

Duration of exposure 48 h

Method **EPA-FIFRA**

EPA ECOTOX Database Source

Reference substance Disodium metasilicate



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

CAS No. 6834-92-0 Species Daphnia magna

EC50 247 mg/l

Duration of exposure 100 h

Source : IUCLID

Reference substance Sodium carbonate

CAS No. 497-19-8 Species Daphnia magna

EC50 265 mg/l

Duration of exposure 48 h

Source IUCLID

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 594 Detergentien- und Waschmittelabfälle

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5/EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class

14.4. Packing group

Packing group

14.5. Environmental hazards

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class

14.4. Packing group

Packing group

14.5. Environmental hazards

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class

14.4. Packing group

Packing group

14.5. Environmental hazards

Information for all modes of transport

14.6. Special precautions for user

Non-dangerous goods

Other information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code not determined

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

less than 5 %:

phosphonates

Further ingredients

alpha-hexylcinnamaldehyde, Benzoic acid, 2-Hydroxy-,phenylmethyl ester, 2H-1-benzopyran-2-one, (E)-3,7 Dimethyl-2,6-octadien-1-ol, BENZYL BENZOATE, LINALOOL, 4-(2,6,6,-Trimethyl-2-cyclohexen-1-



Trade name: havon ULTRA

Substance number: SUB431020030000 Version: 5 / EU Date revised: 02.11.2015

the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15

yl)-3-methyl-3-buten-2-on, Benzyl alcohol

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Alterations/supplements: Alterations to the previous edition are marked with an asterisk (*) in the left-hand margin.

Hazard statements listed in Chapter 3

H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1

Eye Irrit. 2 Eye irritation, Category 2
Ox. Sol. 2 Oxidising solid, Category 2
Skin Irrit. 2 Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

IMDG: International Maritime Code for Dangerous Goods

CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

INCI: International Nomenclature of Cosmetic Ingredients

MEL: Maximum exposure limits NOEL: No observable effect level

NOEC: No observable effect concentration

LD: Lethal dose

LC: Lethal concentration EC: European Community

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

IMO: International Maritime Organization

EG: Europäische Gemeinschaft

CEFIC: European Chemical Industry Council PNEC: Predicted no effect concentration

DNEL: Derived no effect level DMEL: Derived minimal effect level

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMO: International Maritime Organization

EC: European Community

GHS: Globally Harmonized System of classification and Labelling of Chemicals

MAK: Maximale Arbeitsplatz-Konzentration

UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Page 11(12)

hagleitner Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: havon ULTRA Substance number: SUB431020030000 Version: 5/EU Date revised: 02.11.2015 the date of issue: 15.05.07 Replaces Version: 4 / EU Print date: 22.12.15